

# "Building the Future with Intergrity and Quality"

# **LEGO Construction Co.**

Crane Lift and Rigging Plan
Form # 1412/022020



# **General Information**

Company Name:	Project Name & #:				
Lift Date:	Point of Contact:	Contact: Contact Phone #:			
Crane Operator Infor	mation				
Name:	License #:		E>	xpiration Date:	
License Type:	NCCO/TLL (swing cab)				
Medical Physical Type	2:	Expiration [	)ate:	(3 ye	ear)
<u>Crane Information</u>					
Owner:	Make:	Mc	odel:	Gross:	Ton
Inspection/Certification	on Date:	Decal on Crane (r	equired)	Periodic Rep	oort (required)
Crane Configuration:	On Main Boom	On	Jib	On Outrigge	rs/Stabilizers
Load Rating Chart Sup	oplied: Main Boo	m on Outriggers/.	Stabilizers	Jib	
Hoist Line Class:		Breaking St	rength:	lbs SWI	_:lbs
Winch: Main	Aux Parts of Li	ine Used:	Total Line	Capacity:	lbs
Assembly/Disassemb	oly Director (fulfills role as Lift I	Director & Site Supe	ervisor per ASME)	)	
Name:	Employer:		Pr	none #:	
Competent Person:	YesNo Q	ualified Person:	Yes	No	
Set Up Procedures Impl	emented: Crane Man	ufacturer's	Company S	Specific (attach copy	to this plan)
Qualified Rigger					
Name:		Employer:			
Rigger Card Type:	Employer (provide docum	entation)	3 <sup>rd</sup> Party	Natio	nal Certification
Card Expiration Date:	Q	ualified Person fo	r Rigging Tasks:	: Yes \	No
Qualified Signalperso					
Name:		Employer:			
_	Employer (provide docum		3 <sup>rd</sup> Party		nal Certification
	Q	•			Vo

# **Instructions for Page 1**

**Contact Information:** Use this section to gather all contact information necessary. Make sure you have every section filled with all appropriate phone and cell phone numbers.

Crane Operator: Take information directly off the crane operator's Certification ID card. We recognize NCCCO, CIC, NCCER and OECP Certifications. If the operator provides another type of operator qualification card (internal company, US Military or other), take a copy of the card and consult with Safety Director of LEGO Co. as soon as possible. Operators must produce acurrent medical physical certification. Your state may also require seizures and mental capacity that will not be on a DOT physical.

*Crane Information:* Name and owner of the crane could be a subcontractor and/or a rental company.

- Monthly inspections require a competent person to perform them and records (includes 14 items) be provided of the most current prior month's inspection. Annual inspections require inspections by a qualified person which include issuing the annual inspection sticker and providing a copy of the annual inspection (21 items) per 1926.1412.
- Note the configuration the crane will be in during the lifts and secure a copy of the appropriate rating chart from the crane. Note the diameter and class of the wire rope along with the Breaking Strength. Divide breaking strength by 3.5 for standard cable or 5 for rotation resistant cable to arrive at the SWL (safe working load). Note which winch is being utilized for the liftand how many parts of line will be used to make the pick. Multiply the SWL x parts of line used to get total line capacity.
- Note the stamped capacity of the load hook and check to see if the hook used has an installed safety latch (larger hooks will not have or require one).

Assembly/Disassembly Director (AD) (fulfills role as Lift Director and Site Supervisor per ASME):

- Procure the name and title. Can be the operator for simple lifts.
- Ensures all rigging is performed by a Qualified Person and load is stable before hoisting.
- Follows either a) manufacturer guidelines or b) company specific guidelines for setup (Contact Safety Director).
- Ensures the crew understands tasks, hazards, hazardous positions and to notify if out of sight.
- Accounts for ground bearing pressure, identifies hazardous locations, cribbing, hazardous locations, verify assist crane rating and load, load COG (Center of Gravity), pinch point hazards, hoist brake testing, loss of stability, wind speed force and effect of weather

#### **Qualified Rigger Onsite**

- Get the name of the certified rigger, his 3rd party Certification Card and Issuer. This certification card should be in the riggers name only with no company on it. —OR-
- Get the name of the qualified rigger, his 3rd party or Company Qualification Card and Issuer. This qualification card is company specific and is not portable from one company to another.

### **Qualified Signalperson Onsite**

- Only Required when (1) The point of operation is not in full view of operator or (2) the operator's view is obstructed in the direction the equipment is traveling.
- Get the name of the qualified signalperson, his 3rd party or Company Qualification Card and Issuer. This qualification card is company specific, is not portable and documentation must be onsite.
- They have been verified that they understand types, modes and meanings of the signals, crane dynamics, effects of signals on the crane, hazards associated with craning and signaling, the new regulations for working around energized power lines. They have passed a written and/or oral exam and demonstrated knowledge via practical evaluation.

Overhead Hazards: No	Yes (if yes, identify control	s):		
Underground Hazards:	No Yes (If yes, identify cor	ntrols):		
	evel / Firm / Supportive Poo			
	clusion Zone Yes			
Power Line Hazard Overh	ead Power Lines: No	Yes (If YES contact	Superintendent)	
Lift and Rigging Plan				
Load Description:Load Weight:lk  Chart Used: Main Boom Jib On Outriggers Load Rating Chart x 0.75lk				
Crane Inspected H		Load Nating Char	103	
Slings: Type	Size	In-line Rating	Length	
Horizontal Angle	Additional Stress	% Hitch Conf	iguration	
Deviewed By (Signature)				
Reviewed By (Signature):	Superintendent:		Date:	
	Crane Operator:		Date:	

**Project Site Conditions** 

# **Instructions for Page 3**

#### Site Conditions:

- Ensure the underground search has been conducted.
- Document any overhead encumbrances or hazards.
- Ground must be evaluated for crane and load support.
- If action is required, indicate who is going to take the appropriate action.
- All cranes on Centennial/JV jobsites need to be cribbed. Cribbing should be double the size of the float pad.

#### **Power Line Hazard** (<350kV line= 20ft) (for greater >350kV line use 50ft barrier boundary)

- You must identify the max radius utilized either as a limited use area or 360° via a demarcation line.
- If no part of the crane, line, rigging, load or accessories can reach to within 20 feet of an energized power line, then clearly mark the 20 foot barrier and no signal person is required.
- If the crane can come within 20 feet of the power line (in any direction), the lines must be de-energized and grounded
   OR –
- Clearly mark the 20 foot boundary, utilize a qualified signal person/spotter and do not encroach inside the minimum safe distances outlined in the OSHA "A" Table.

### Lift and Rigging Plan

- Known load weight and load configuration for appropriate rigging.
- #1 task is to rig for load stability and be level in rigging.
- Get projected set down measurements from the dry run with the crane.
- Identify all rigging hardware and spreader bars utilized and verify ratings are appropriate.
- Verify all rigging components are labeled or tagged with capacity ratings.
- Identify and verify all slings utilized capacity ratings are sufficient for the load weight and additional sling angle stress imposed on them.
- If any questions arise, consult the qualified rigger and Safety Director of LEGO Co. prior to elevating the load.

#### Lift or Rigging Sketch

Take time to draw out the position of the crane, height and radius in relation to set down area, distances from the load, buildings, distances from hazards, lines of demarcation and 20 foot power line barrier zone. You should also sketch the shape of the load, load weight, rigging hitches, lengths and types of slings and any other configurations utilized.

#### **Required Documentation Checklist**

Copy of Operator's License	Copy of Crane Load Rating Chart		
Copy of Operator's Medical Cert.	Sketch of Site Layout and Rigging		
Copy of Riggers Card or Cert.	Copy of Company Crane Setup		
Copy of Annual Crane Insp. Cert.	Utility Owner Voltage Information		
Copy of Monthly Crane Insp Cert.	PE spreader bar or custom rigging		